


-268-

CLAIMS

What we claim is:

1. A compound of formula (I)



or a salt, ester or prodrug thereof;

where:

X is O or NR⁶;

R⁶ is hydrogen or C₁₋₄alkyl;

- 10 R¹ is hydrogen, halo, or -X¹R¹¹;

X¹ is a direct bond, -CH₂=CH₂-, -O-, -NH-, -N(C₁₋₆alkyl)-, -C(O)-, -C(O)O-, -OC(O)-, -NHC(O)-, -N(C₁₋₆alkyl)C(O)-, -C(O)NH- or -C(O)N(C₁₋₆alkyl)-;

R¹¹ is hydrogen, or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and

- 15 heterocyclylC₂₋₄alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from halo, hydroxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, -NR⁹R¹⁰, -C(O)R⁹, -C(O)NR⁹R¹⁰ and -C(O)OR⁹;

R² is hydrogen, halo, nitro, cyano or -X²R¹²;

X² is a direct bond, -O-, -NH-, -N(C₁₋₆alkyl)-, -OC(O)- or -C(O)O-;

- 20 R¹² is hydrogen, or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, C₁₋₄alkyl, C₁₋₄alkoxy, -NR¹⁵R¹⁶, -NHC(O)NR¹⁵R¹⁶, -C(O)R¹⁵ and -C(O)OR¹⁵;

- 25 R³ is hydrogen, halo or -X³R¹³;

-269-

X^3 is a direct bond, $-CH_2=CH_2-$, $-O-$, $-NH-$, $-N(C_{1-6}alkyl)-$, $-C(O)-$, $-C(O)O-$, $-OC(O)-$, $-NHC(O)-$, $-N(C_{1-6}alkyl)C(O)-$, $-C(O)NH-$ or $-C(O)N(C_{1-6}alkyl)-$;

R^{13} is hydrogen or a group selected from $C_{1-6}alkyl$, $C_{2-6}alkenyl$, $C_{2-6}alkynyl$, $C_{3-6}cycloalkyl$, $C_{3-6}cycloalkenyl$, aryl, aryl $C_{1-4}alkyl$, aryl $C_{2-4}alkenyl$, aryl $C_{2-4}alkynyl$, heterocyclyl,

5 heterocyclyl $C_{1-4}alkyl$, heterocyclyl $C_{2-4}alkenyl$ and heterocyclyl $C_{2-4}alkynyl$ which group is optionally substituted by 1 or 2 substituents independently selected from $-NR^7R^8$, $-$

$C(O)NR^7R^8$, halo, hydroxy, $C_{1-4}alkyl$, $C_{1-4}alkoxy$, hydroxy $C_{1-4}alkyl$, hydroxy C_{1-}

$4alkylcarbonyl$, $C_{1-4}alkylcarbonyl$, amino $C_{1-4}alkylcarbonyl$, $C_{1-4}alkylaminoC_{1-4}alkylcarbonyl$ and bis($C_{1-4}alkyl$)amino $C_{1-4}alkylcarbonyl$;

10 R^7 and R^8 are independently selected from hydrogen, heterocyclyl, heterocyclyl $C_{1-4}alkyl$, $C_{1-4}alkylheterocyclylC_{1-4}alkyl$, $C_{1-6}alkyl$, hydroxy $C_{1-6}alkyl$, $C_{1-4}alkoxyC_{1-6}alkyl$, $C_{3-6}cycloalkyl$, $C_{3-6}cycloalkylC_{1-4}alkyl$, hydroxy $C_{3-6}cycloalkyl$, hydroxy $C_{1-4}alkylC_{3-6}cycloalkyl$, hydroxy $C_{3-6}cycloalkylC_{1-4}alkyl$, hydroxy $C_{1-4}alkylC_{3-6}cycloalkylC_{1-4}alkyl$, $C_{1-4}alkoxyC_{3-6}cycloalkyl$, $C_{1-4}alkoxyC_{3-6}cycloalkylC_{1-4}alkyl$, halo $C_{1-6}alkyl$, halo $C_{3-6}cycloalkyl$, halo $C_{3-6}cycloalkylC_{1-4}alkyl$,

15 $C_{2-6}alkenyl$, $C_{2-6}alkynyl$, cyano $C_{1-4}alkyl$, amino $C_{1-6}alkyl$, $C_{1-4}alkylaminoC_{1-6}alkyl$, bis($C_{1-4}alkyl$)amino $C_{1-6}alkyl$, hydroxy $C_{1-4}alkoxyC_{1-4}alkyl$, hydroxy $C_{1-4}alkylcarbonyl$, $C_{1-4}alkylcarbonyl$, amino $C_{1-4}alkylcarbonyl$, $C_{1-4}alkylaminoC_{1-4}alkylcarbonyl$ and bis($C_{1-4}alkyl$)amino $C_{1-4}alkylcarbonyl$;

or R^7 and R^8 together with the nitrogen to which they are attached form a heterocyclic ring

20 which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2 , and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from $C_{1-4}alkyl$, hydroxy, $C_{1-4}alkoxy$, hydroxy $C_{1-4}alkyl$, $C_{1-4}alkoxyC_{1-4}alkyl$, hydroxy $C_{1-4}alkoxyC_{1-4}alkyl$, $C_{1-4}alkoxyC_{1-4}alkoxy$, hydroxy $C_{1-4}alkylcarbonyl$, $C_{1-4}alkylcarbonyl$, amino C_{1-}

25 $4alkylcarbonyl$, $C_{1-4}alkylaminoC_{1-4}alkylcarbonyl$ and bis($C_{1-4}alkyl$)amino $C_{1-4}alkylcarbonyl$, and where a ring $-CH_2-$ is optionally replaced with $-C(O)-$;

R^4 is selected from hydrogen, halo or $-X^4R^{14}$;

X^4 is a direct bond, $-O-$, $-NH-$ or $-N(C_{1-6}alkyl)-$;

R^{14} is selected from hydrogen, $C_{1-6}alkyl$, $C_{2-6}alkenyl$ and $C_{2-6}alkynyl$;

30 R^5 is aryl or heteroaryl optionally substituted by 1, 2 or 3 substituents independently selected from halo, hydroxy, cyano, nitro, amino, $C_{1-4}alkylamino$, bis($C_{1-4}alkyl$)amino, $C_{1-4}alkyl$, $C_{2-4}alkenyl$, $C_{2-4}alkynyl$, $C_{1-4}alkoxy$, $-CONHR^{17}$, $-NHCOR^{18}$, $-SR^{17}$, $-S(O)R^{17}$ and $-S(O)OR^{17}$;

-270-

R^9 , R^{10} , R^{15} and R^{16} are independently selected from hydrogen, C_{1-6} alkyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkyl C_{1-4} alkyl, hydroxy C_{1-6} alkyl, halo C_{1-6} alkyl, amino C_{1-6} alkyl, C_{1-4} alkylamino C_{1-6} alkyl and bis(C_{1-4} alkyl)amino C_{1-6} alkyl;

or R^9 and R^{10} together with the nitrogen to which they are attached form a heterocyclic ring

5 which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2 , and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4} alkyl, hydroxy, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkoxy, hydroxy C_{1-4} alkylcarbonyl, C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl,


10 and where a ring $-CH_2-$ is optionally replaced with $-C(O)-$;

R^{17} and R^{18} are independently selected from hydrogen, C_{1-4} alkyl, C_{3-6} cycloalkyl, C_{2-4} alkenyl and C_{2-4} alkynyl;

R^{19} is hydrogen, hydroxy C_{1-4} alkyl, $-C(O)R^{20}$, $-C(O)OR^{20}$, $-CONR^{20}R^{21}$, $-NHC(O)R^{20}$ or -
15 $NHC(O)OR^{20}$;

R^{20} and R^{21} are independently selected from hydrogen, C_{1-4} alkyl and aryl.

2. A compound of formula (IA)



20 or salt or ester thereof

where X , X^1 , X^2 , X^3 , R^4 , R^5 and R^{19} are as defined in relation to formula (I) and

R^1 is hydrogen, halo, or $-X^1R^{11'}$;

$R^{11'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, heterocyclyl, heterocyclyl C_{1-4} alkyl, heterocyclyl C_{2-4} alkenyl

25 and heterocyclyl C_{2-4} alkynyl which group is optionally substituted by a substituent selected

-271-

from halo, hydroxy, phosphonooxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, -NR^{9'}R^{10'}, -C(O)R^{9'}, -C(O)NR^{9'}R^{10'} and -C(O)OR^{9'};

R^{2'} is hydrogen, halo, nitro, cyano or -X²R^{12'};

R^{12'} is hydrogen, phosphonooxy or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl,

- 5 C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, phosphonooxy, C₁₋₄alkyl, C₁₋₄alkoxy, -NR¹⁵R¹⁶, -NHC(O)NR¹⁵R¹⁶, -C(O)R¹⁵ and -C(O)OR¹⁵; R^{3'} is hydrogen, halo or -X³R^{13'};

- 10 R^{13'} is hydrogen, phosphonooxy or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from -NR^{7'}R^{8'}, -C(O)NR^{7'}R^{8'}, halo, hydroxy, phosphonooxy, C₁₋₄alkyl, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, phosphonooxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl;

R^{7'} and R^{8'} are independently selected from hydrogen, heterocyclyl, heterocyclylC₁₋₄alkyl, C₁₋₄alkylheterocyclylC₁₋₄alkyl, C₁₋₆alkyl, hydroxyC₁₋₆alkyl, phosphonooxyC₁₋₆alkyl, C₁₋₄alkoxyC₁₋₆alkyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₃₋₆cycloalkyl,

- 20 phosphonooxyC₃₋₆cycloalkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkyl, phosphonooxyC₁₋₄alkylC₃₋₆cycloalkyl, hydroxyC₃₋₆cycloalkylC₁₋₄alkyl, phosphonooxyC₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkylC₁₋₄alkyl, phosphonooxyC₁₋₄alkylC₃₋₆cycloalkylC₁₋₄alkyl, C₁₋₄alkoxyC₃₋₆cycloalkyl, C₁₋₄alkoxyC₃₋₆cycloalkylC₁₋₄alkyl, haloC₁₋₆alkyl, haloC₃₋₆cycloalkyl, haloC₃₋₆cycloalkylC₁₋₄alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, cyanoC₁₋₄alkyl, aminoC₁₋₆alkyl, C₁₋₄alkylaminoC₁₋₆alkyl, bis(C₁₋₄alkyl)aminoC₁₋₆alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, phosphonooxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl;

- 30 or R^{7'} and R^{8'} together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO₂, and which ring is

-272-

- optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C₁₋₄alkyl, hydroxy, phosphonooxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkoxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkoxy, hydroxyC₁₋₄alkylcarbonyl, phosphonooxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl, and where a ring -CH₂- is optionally replaced with -C(O)-; R^{9'}, R^{10'}, R^{15'} and R^{16'} are independently selected from hydrogen, C₁₋₆alkyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkylC₁₋₃alkyl, hydroxyC₁₋₆alkyl, phosphonooxyC₁₋₆alkyl, haloC₁₋₆alkyl, aminoC₁₋₆alkyl, C₁₋₆alkylaminoC₁₋₆alkyl and bis(C₁₋₆alkyl)aminoC₁₋₆alkyl;
- or R^{9'} and R^{10'} together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO₂, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C₁₋₄alkyl, hydroxy, phosphonooxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkoxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkoxy, hydroxyC₁₋₄alkylcarbonyl, phosphonooxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl, and where a ring -CH₂- is optionally replaced with -C(O)-; provided that a compound of formula (IA) contains at least one phosphonooxy group.

20

3. A compound according to claim 2 containing only one phosphonooxy group.
4. A compound according to claim 1 wherein R¹ is hydrogen, halo or -OR¹¹ and R¹¹ is hydrogen or a group selected from C₁₋₆alkyl, heterocyclyl and heterocyclylC₁₋₄alkyl, which group is optionally substituted by a substituent selected from hydroxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl.
5. A compound according to claim 1 wherein R² is hydrogen, halo, -OR¹² or -OC(O)R¹² and R¹² is hydrogen or a group selected from C₁₋₄alkyl, aryl, heterocyclyl and heterocyclylC₁₋₄alkyl which group is optionally substituted by a substituent selected from C₁₋₄alkyl and C₁₋₄alkoxy.

30

-273-

6. A compound according to claim 1 wherein R^3 is hydrogen or $-X^3R^{13}$ and R^{13} is hydrogen, methyl, ethyl, propyl, heterocyclyl, heterocyclylmethyl, heterocycylethyl or heterocyclylpropyl which methyl, ethyl or propyl are optionally substituted by $-NR^7R^8$, $-C(O)NR^7R^8$ or 1 or 2 halo, hydroxy or C_{1-4} alkoxy substituents and which heterocyclylmethyl, heterocycylethyl or heterocyclylpropyl are optionally substituted on heterocyclyl by hydroxy, C_{1-4} alkyl, hydroxy C_{1-4} alkyl or hydroxy C_{1-4} alkylcarbonyl.

7. A compound according to claim 6 wherein R^7 and R^8 are independently selected from hydrogen, heterocyclyl, heterocyclyl C_{1-4} alkyl, C_{1-4} alkylheterocyclyl C_{1-4} alkyl, C_{1-6} alkyl, hydroxy C_{1-6} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkyl C_{1-4} alkyl, hydroxy C_{3-6} cycloalkyl, hydroxy C_{1-4} alkyl C_{3-6} cycloalkyl, halo C_{1-6} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, cyano C_{1-4} alkyl, amino C_{1-4} alkyl, C_{1-4} alkylamino C_{1-4} alkyl, bis(C_{1-4} alkyl)amino C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl and hydroxy C_{1-4} alkylcarbonyl; or R^7 and R^8 together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4} alkyl, hydroxy, hydroxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, C_{1-4} alkylcarbonyl and hydroxy C_{1-4} alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with $-C(O)-$.

8. A compound according to claim 2 wherein $R^{1'}$ is hydrogen, halo or $-OR^{11'}$ and $R^{11'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6} alkyl, heterocyclyl and heterocyclyl C_{1-4} alkyl, which group is optionally substituted by a substituent selected from hydroxy, phosphonooxy, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl, phosphonooxy C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl.

9. A compound according to claim 2 wherein $R^{2'}$ is hydrogen, halo, $-OR^{12'}$ or $-OC(O)R^{12'}$ and $R^{12'}$ is hydrogen, phosphonooxy or a group selected from C_{1-4} alkyl, aryl, heterocyclyl and heterocyclyl C_{1-4} alkyl which group is optionally substituted by a substituent selected from C_{1-4} alkyl and C_{1-4} alkoxy.

-274-

10. A compound according to claim 2 wherein $R^{3'}$ is hydrogen, phosphonooxy or $-X^3R^{13'}$ and $R^{13'}$ is hydrogen or a group selected from C_{1-6} alkyl, aryl, aryl C_{1-4} alkyl, heterocyclyl and heterocyclyl C_{1-4} alkyl, which group is optionally substituted by 1 or 2 substituents
- 5 independently selected from $-NR^{7'}R^{8'}$, $-C(O)NR^{7'}R^{8'}$, halo, hydroxy, phosphonooxy, C_{1-4} alkyl, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl, phosphonooxy C_{1-4} alkylcarbonyl and C_{1-4} alkylcarbonyl.
11. A compound according to claim 10 wherein $R^{7'}$ and $R^{8'}$ are independently selected
- 10 from hydrogen, heterocyclyl, heterocyclyl C_{1-4} alkyl, C_{1-4} alkylheterocyclyl C_{1-4} alkyl, C_{1-6} alkyl, hydroxy C_{1-6} alkyl, phosphonooxy C_{1-6} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkyl C_{1-4} alkyl, hydroxy C_{3-6} cycloalkyl, phosphonooxy C_{3-6} cycloalkyl, hydroxy C_{1-4} alkyl C_{3-6} cycloalkyl, phosphonooxy C_{1-4} alkyl C_{3-6} cycloalkyl, halo C_{1-6} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, cyano C_{1-4} alkyl, amino C_{1-4} alkyl, bis(C_{1-4} alkyl)amino C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl and phosphonooxy C_{1-4} alkylcarbonyl; or $R^{7'}$ and $R^{8'}$ together with the nitrogen to which they are attached form a
- 15 heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4} alkyl, hydroxy, phosphonooxy, hydroxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkoxy C_{1-4} alkyl, C_{1-4} alkylcarbonyl, hydroxy C_{1-4} alkylcarbonyl and phosphonooxy C_{1-4} alkylcarbonyl, and where a ring $-CH_2-$ is optionally
- 20 replaced with $-C(O)-$.
- 25 12. A compounds according to any one of the preceding claims wherein X is NH.
13. A compound according to any one of the preceding claims wherein R^4 is hydrogen.
14. A compound according to any one of the preceding claims wherein R^5 is aryl
- 30 optionally substituted by 1 or 2 halo.

-275-

15. A compound according to any one of the preceding claims wherein R¹⁹ is hydrogen, hydroxycarbonyl, ethoxycarbonyl, aminocarbonyl and acetyl amino.

16. A compound of formula (I) selected from:

- 5 2-(4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 10 2-(4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 2-(4-{[7-(2-chloroethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 15 2-(4-{[7-(2-chloroethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-(4-{[7-(2,2-dimethoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxamide;
- 20 ethyl 4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxylate;
- 2-(3-(acetyl amino)-4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 25 *N*-(2,3-difluorophenyl)-2-[4-(quinazolin-4-ylamino)-1*H*-pyrazol-1-yl]acetamide;
- 2-(4-{[7-(3-chloropropoxy)-5-isopropoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-5-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 30 2-(4-{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

-276-

- 2-(4-{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 5 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 10 *N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 2-[4-({7-[3-(diethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;
- 15 *N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;
- 20 2-[4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 25 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 2-[4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;
- 30 2-[4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

-277-

- 2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 5 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 10 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 2-{4-[(7-{3-[allyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-[4-((7-{3-(3-hydroxypiperidin-1-yl)propoxy}-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;
- 20 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 2-{4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 30 *N*-(3-fluorophenyl)-2-[4-((6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

-278-

- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 5 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 10 2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 20 2-(4-{[7-(3-azetidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(6,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-hydroxy-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 2-{4-[(7-hydroxy-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 30 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-279-

N-(2,3-difluorophenyl)-2-[4-({7-[3-(dimethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

5 *N*-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

10 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide
2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

15 *N*-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

20 *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

30 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-280-

- 2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 5 *N*-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-[4-({7-[3-(3-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-10 4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 2-{4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-20 yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-30 1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

-281-

- 2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 5 2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 10 6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(2-{4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 15 *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[2-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxy-1,1-dimethylethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 20 *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(*trans*-4-hydroxycyclohexyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[3-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 *N*-(2,3-difluorophenyl)-2-(4-{[7-(2-{[1-(hydroxymethyl)cyclopentyl]amino}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(3-hydroxypropyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 30 *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(propyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-282-

- N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-diethylpropyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 5 2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 10 *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 20 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 30 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-283-

2-{4-[(7-{3-[(2-cyanoethyl)(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

- 5 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-2,2-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

- 10 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)-3-oxopiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

- 15 *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(propylamino)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[glycoloyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

- 20 *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

- N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[*trans*-2-(hydroxymethyl)cyclohexyl]amino}propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

- 25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(1 α ,5 α ,6 α)-6-(hydroxymethyl)-3-azabicyclo[3.1.0]hex-3-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

- N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(2*R*)-2-hydroxypropyl]amino}propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

- 30 *N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(1*S*)-2-hydroxy-1-methylethyl]amino}propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

-284-

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxy-1,1-

dimethylethyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,3-dihydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

5 *N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[2-(2-hydroxyethoxy)ethyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

2-[4-({7-[3-(4-acetylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(tetrahydrofuran-2-ylmethyl)amino]propoxy}quinazolin-10 4-yl)amino]-1H-pyrazol-1-yl}acetamide;

2-[4-({7-[3-(allylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[1-(hydroxymethyl)-2-methylpropyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

15 *N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(5-methylisoxazol-3-yl)methyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(tetrahydro-2H-pyran-4-ylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)pyrrolidin-1-20 yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-hydroxypropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

2-(4-{[7-(3-aminopropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*,4*R*)-4-hydroxy-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-dimethylpropyl)amino]ethoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-30 yl}-*N*-(2,3-difluorophenyl)acetamide;

-285-

2-[4-({7-[2-(cyclopropylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-[4-({7-[2-(cyclobutylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

5 *N*-(2,3-difluorophenyl)-2-[4-({7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-({7-[2-(cyclopentylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

10 2-{4-[(7-{2-[cyclopentyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

15 2-{4-[(7-{2-[cyclopropyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

20 2-{4-[(7-{2-[cyclopentyl(3-hydroxypropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(glycoloyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3*S*)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(hydroxymethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

30

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-286-

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(2-{[*trans*-2-(hydroxymethyl)cyclohexyl]amino}ethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-

5 yl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-pyrrolidin-1-yl)propoxy]quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

10 *N*-(2,3-difluorophenyl)-2-{4-[(7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

15 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

20 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

25 *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(glycoloylamino)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-

30 *N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-287-

- N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 5 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydrofuran-3-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 10 *N*-(3-fluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino})-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-[4-({7-[(2*S*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 15 *N*-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-glycoloylpyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-(4-{[7-(pyrrolidin-3-ylmethoxy)quinazolin-4-yl]amino})-1*H*-pyrazol-1-yl}acetamide;
- 20 *N*-(3-fluorophenyl)-2-{4-[(7-{[1-(2-hydroxyethyl)pyrrolidin-3-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-[4-({7-[(1-glycoloylpyrrolidin-3-yl)methoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 25 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-hydroxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2-Fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide
- 30 2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2-fluorophenyl)acetamide;

-288-

- 2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;
- 2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;
- 5 *N*-(2,6-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 10 *N*-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 20 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-(4-{[5-isopropoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloyl)piperazin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 30 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-289-

- N*-(2,3-difluorophenyl)-2-{4-[(5,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 5 *N*-(2,3-difluorophenyl)-2-[4-({7-methoxy-5-[(2*R*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-glycoloylpyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(*N,N*-dimethylglycyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 10 *N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 *N*-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- N*-(3-fluorophenyl)-2-[4-({7-methoxy-6-[(1-methylpyrrolidin-3-yl)oxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- N*-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(2-morpholin-4-ylethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 20 2-(4-{[6,7-bis(2-methoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(6-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-6-yl benzoate;
- N*-(2,3-difluorophenyl)-2-(4-((6-hydroxy-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl)acetamide;
- 1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxamide;
- 30

-290-

1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxamide;

2-{3-(acetyl amino)-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

5 ethyl 1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylate; and

1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylic acid;

or a salt, ester or prodrug thereof.

10

17. A compound of formula (IA) selected from:

2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;

{(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-

15 methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

{(2*S*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;

20 {(2*R*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;

{(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-

25 yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-

yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

30 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;

-291-

- 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
- 2-{cyclobutyl[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
- 5 2-{cyclobutyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
- 10 yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
- 2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
- 15 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
- 3-{[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}-3-methylbutyl dihydrogen phosphate;
- 3-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}-3-methylbutyl dihydrogen phosphate;
- 20 {(2*R*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 2-{4-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate
- 25 3-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}propyl dihydrogen phosphate;
- 2-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
- 30 yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
- 3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](ethyl)amino]propyl dihydrogen phosphate;

-292-

- 3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]propyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]-2-oxoethyl dihydrogen phosphate;
- 5 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}-2-oxoethyl dihydrogen phosphate;
- {(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-fluoroquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-
- 10 methylpiperidin-4-yl)methoxy)quinazolin-6-yl dihydrogen phosphate;
- {(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
- 15 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]amino]ethyl dihydrogen phosphate;
- {(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- {(2*R*)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-
- 20 methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- {(2*S*)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen
- 25 phosphate;
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]-2-oxopiperazin-1-yl}ethyl dihydrogen phosphate; and
- 2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate;
- 30 or a salt or ester thereof.

18. A compound according to any one of the preceding claims for use as a medicament.

-293-

19. The use of a compound according to any one of claim 1 to 17, in the preparation of a medicament for the treatment of a disease where the inhibition of one or more Aurora kinase(s) is beneficial.

5

20. The use according to claim 19 where one or more Aurora kinase(s) are Aurora-A kinase and/or Aurora-B kinase.


21. The use of a compound according to any one of claims 1 to 17, in the preparation of a medicament for the treatment of colorectal, breast, lung, prostate, bladder, renal or pancreatic cancer or leukaemia or lymphoma.

22. A pharmaceutical composition comprising a compound as defined in any one of claims 1 to 17, or a pharmaceutically acceptable salt, ester or prodrug thereof, in association with a pharmaceutically acceptable diluent or carrier.

23. A method of treating a human suffering from a hyperproliferative disease, comprising the steps of administering to a person in need of such treatment a therapeutic amount of a compound as defined in any one of claims 1 to 17.

20


24. A process for the preparation of a compound according to claim 1 or a pharmaceutically acceptable salt, ester or prodrug thereof, which process comprises reacting a compound of formula (II)



(II)

25

where L is a suitable leaving group and R¹, R², R³, R⁴ are as defined in claim 1 with a compound of formula (III)



wherein R^5 and R^{19} are as defined in claim 1

in the presence of hydrochloric acid in dioxane under an inert atmosphere,

5 and thereafter if necessary:

- i) converting a compound of the formula (I) into another compound of the formula (I); and/or
- ii) removing any protecting groups; and/or
- iii) forming a salt, ester or prodrug thereof.

10 25. A process for the preparation of a compound according to claim 2 or a pharmaceutically acceptable salt thereof, which process comprises phosphorylation of a compound according to claim 1, followed by deprotection of the phosphate group to yield a compound according to claim 2.